




# OSH508.580

Separatore d'Olio




D	L <sub>(mantello)</sub>	Volume	Categoria	Fluido	PS	TS
508	3000	580	IV	R22 - NH3 + Olio	0 / 27 bar	-10 / 130° C



# OSH914.2680

Separatore d'Olio





D	L <sub>(mantello)</sub>	Volume	Categoria	Fluido	PS	TS
914	4000	2680	IV	R22 - NH3 + Olio	0 / 27 bar	-10 / 130° C



# OSH609.850

Separatore d'Olio




D	L <sub>(mantello)</sub>	Volume	Categoria	Fluido	PS	TS
609	3000	850	IV	R22 - NH3 + Olio	0 / 30 bar	-10 / 130° C



# OSH.A.1524.24

Separatore d'Olio




D	L <sub>(mantello)</sub>	Volume	Categoria	Fluido	PS	TS
1524	3000	6450	IV	R22 - NH3 + Olio	-1 / 24 bar	-45° / +60° C
	4000	8200				
	5000	9850				
	6000	11750				



# OSH.A.1236.24

Separatore d'Olio



D	L <sub>(mantello)</sub>	Volume	Categoria	Fluido	PS	TS
1236	3000	4100	IV	R22 - NH3 + Olio	-1 / 24 bar	-45° / +60° C
	4000	5280				
	5000	6430				
	6000	7550				